



Government of India
Ministry of Environment, Forest and Climate Change
(Issued by the State Environment Impact Assessment
Authority(SEIAA), MAHARASHTRA)

To,

The partner

SAPTASHREE TECH WORLD

111, 1st Floor, Horizon Tower, Bhakti Mandir Road, Hari Niwas, Thane
West 400602 -400602

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity
under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC)
in respect of project submitted to the SEIAA vide proposal number
SIA/MH/INFRA2/417420/2023 dated 08 Feb 2023. The particulars of the
environmental clearance granted to the project are as below.

- | | |
|---|--|
| 1. EC Identification No. | EC23B038MH135318 |
| 2. File No. | SIA/MH/INFRA2/417420/2023 |
| 3. Project Type | New |
| 4. Category | B |
| 5. Project/Activity including
Schedule No. | 8(a) Building and Construction projects |
| 6. Name of Project | Proposed new project for IT park building
at Plot No. A-1, A-3, A-5 & A-6, Wagle
Industrial Area, Thane under Schedule 8a
(B2) Category by M/s. Saptashree Tech
World. |
| 7. Name of Company/Organization | SAPTASHREE TECH WORLD |
| 8. Location of Project | MAHARASHTRA |
| 9. TOR Date | N/A |

The project details along with terms and conditions are appended herewith from page
no 2 onwards.

Date: 06/06/2023

(e-signed)
Pravin C. Darade , I.A.S.
Member Secretary
SEIAA - (MAHARASHTRA)

*Note: A valid environmental clearance shall be one that has EC identification
number & E-Sign generated from PARIVESH. Please quote identification
number in all future correspondence.*

This is a computer generated cover page.



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/INFRA2/417420/2023
Environment & Climate Change Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.

To
M/s. Saptashree Tech World.
Plot No. A-1, A-3, A-5 & A-6,
Wagle Industrial Area, Thane

Subject: Environment Clearance for Proposed new project for IT park building at Plot No. A-1, A-3, A-5 & A-6, Wagle Industrial Area, Thane by M/s. Saptashree Tech World.

Reference: Application no. SIA/MH/INFRA2/417420/2023

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-2 in its 199th meeting under screening category 8(a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 260th meeting (Day-2) of State Level Environment Impact Assessment Authority (SEIAA) held on 03.05.2023.

2. Brief Information of the project submitted by you is as below:-

Sr. No.	Description	Details	
	Proposal Number	SIA/MH/INFRA2/417420/2023	
	Project Name	Proposed IT Park building at Plot No. A-1, A-3, A-5 & A-6, Wagle Industrial Area, Thane BY M/s. Saptashree Tech World	
	Project category	Item 8(a), B2	
	Type of Institution	Private	
	Project Proponent	Name	Mr. Sohansingh Amarsingh Thakur
		Regd. Office address	Saptashree Tech World 111, Horizon Tower 1st Floor, Bhakti Madir Road, Near Hariniwas Circle, Thane West 4000602
		Contact number	9833030330
		e-mail	saptashretechworld@gmail.com
	Consultant	Name: M/s. Enviro Analysts & Engineers Pvt. Ltd. NABET Accreditation No: NABET/EIA/2023/RA0206 Validity: 13.05.2023	
	Applied for	Redevelopment project	

	Location of the project	Plot no. A-1, A-3, A-5 & A-6, Wagle Industrial Area, Thane																								
	Latitude and Longitude	19°11'14.73"N 72°57'20.51"E																								
	Plot area (Sq. m.)	5,385.0																								
	Deduction (Sq. m.)	0																								
	Net Plot Area (Sq. m.)	5,385.0																								
	Ground coverage (m ²) & %																									
	FSI (Sq. m.)	16071.11																								
	Non FSI (Sq. m.)	6624.89																								
	Proposed built-up area (FSI + Non FSI) (Sq. m.)	22696.00																								
	TBUA (m ²) approved by Planning Authority till date	LOI received dated 17.01.2023																								
	Earlier EC details with Total Construction area, if any.	NA																								
	Construction completed as per earlier EC (FSI + Non FSI) (Sq. m.)	NA																								
	<table><tr><th colspan="3">Previous EC / Existing Building</th><th colspan="3">Proposed Configuration</th><th rowspan="2">Reason for Modification / Change</th></tr><tr><th>Building Name</th><th>Configuration</th><th>Height (m)</th><th>Building Name</th><th>Configuration</th><th>Height (m)</th></tr><tr><td colspan="3">NA</td><td>IT PARK BUILDING</td><td>GR. + 1th TO 16th FLOOR</td><td>62.10</td><td>-</td></tr></table>						Previous EC / Existing Building			Proposed Configuration			Reason for Modification / Change	Building Name	Configuration	Height (m)	Building Name	Configuration	Height (m)	NA			IT PARK BUILDING	GR. + 1 th TO 16 th FLOOR	62.10	-
Previous EC / Existing Building			Proposed Configuration			Reason for Modification / Change																				
Building Name	Configuration	Height (m)	Building Name	Configuration	Height (m)																					
NA			IT PARK BUILDING	GR. + 1 th TO 16 th FLOOR	62.10	-																				
	No. of Tenements & Shops	IT UNITS: 234 Nos. ITSS UNITS: 11 NOS.																								
	Total population	2797 Nos.																								
	Water requirement (CMD)	Total Water Requirement: 122 KLD Domestic Water Requirement: 65 KLD Flushing Water Requirement: 53.5 KLD Landscape Water Requirement: 3.5 KLD																								
	Under Ground Tank	Below Ground																								

	(UGT) location																																														
	Source of water	Wagle Estate MIDC Water Tank																																													
	Sewage generation (CMD)	112 KLD																																													
	STP Capacity & Technology	125 KLD																																													
	STP Location	Below Ground floor with 40% open to sky																																													
	Sewage Generation CMD & % of sewage discharge in sewer line	112 KLD Sewage Generation & 36% sewage will discharge in sewer line																																													
30.	Solid Waste Management during Construction Phase	<table><tr><th colspan="5">CONSTRUCTION WASTE MANAGEMENT</th></tr><tr><th>Sr. No.</th><th>Particulars</th><th>Quantity</th><th>Units</th><th>Management</th></tr><tr><td>1.</td><td>Top soil</td><td>810.00</td><td>Cum</td><td>Being used for landscaping</td></tr><tr><td>2.</td><td>Demolition Waste</td><td>4500</td><td>cum</td><td>Still & other reinforcement will be sold to recycler & rest will be used for plot levelling, plinth level achievement & Compound wall, Strom water etc.</td></tr><tr><td>3.</td><td>Empty cement bags</td><td>13620</td><td>Nos.</td><td>To be handed over to local recyclers</td></tr><tr><td>4.</td><td>Steel</td><td>5</td><td>MT</td><td>To be handed over to local recyclers</td></tr><tr><td>5.</td><td>Aggregates</td><td>10</td><td>MT</td><td>To be used as a layer for internal roads and building boundary wall.</td></tr><tr><td>6.</td><td>Broken Tiles</td><td>405</td><td>sqm</td><td>Waste tiles to be used as china mosaic for terraces.</td></tr><tr><td>7.</td><td>Empty Paint Cans (20 litre/ can)</td><td>340</td><td>Nos.</td><td>To be handed over to recycler</td></tr></table>	CONSTRUCTION WASTE MANAGEMENT					Sr. No.	Particulars	Quantity	Units	Management	1.	Top soil	810.00	Cum	Being used for landscaping	2.	Demolition Waste	4500	cum	Still & other reinforcement will be sold to recycler & rest will be used for plot levelling, plinth level achievement & Compound wall, Strom water etc.	3.	Empty cement bags	13620	Nos.	To be handed over to local recyclers	4.	Steel	5	MT	To be handed over to local recyclers	5.	Aggregates	10	MT	To be used as a layer for internal roads and building boundary wall.	6.	Broken Tiles	405	sqm	Waste tiles to be used as china mosaic for terraces.	7.	Empty Paint Cans (20 litre/ can)	340	Nos.	To be handed over to recycler
CONSTRUCTION WASTE MANAGEMENT																																															
Sr. No.	Particulars	Quantity	Units	Management																																											
1.	Top soil	810.00	Cum	Being used for landscaping																																											
2.	Demolition Waste	4500	cum	Still & other reinforcement will be sold to recycler & rest will be used for plot levelling, plinth level achievement & Compound wall, Strom water etc.																																											
3.	Empty cement bags	13620	Nos.	To be handed over to local recyclers																																											
4.	Steel	5	MT	To be handed over to local recyclers																																											
5.	Aggregates	10	MT	To be used as a layer for internal roads and building boundary wall.																																											
6.	Broken Tiles	405	sqm	Waste tiles to be used as china mosaic for terraces.																																											
7.	Empty Paint Cans (20 litre/ can)	340	Nos.	To be handed over to recycler																																											
31.	Total Solid Waste Quantities with type during Operation Phase & Capacity of OWC to be installed	<table><tr><th>Sr. No.</th><th>Type of Waste</th><th>Quantity</th><th>Management</th></tr><tr><td>1</td><td>Biodegradable Waste</td><td>153 kg/day</td><td>Composting by OWC- manure produced will be used at site for landscaping</td></tr><tr><td>2</td><td>Non-biodegradable Waste</td><td>229 kg/day</td><td>Will be managed through recyclers.</td></tr></table>	Sr. No.	Type of Waste	Quantity	Management	1	Biodegradable Waste	153 kg/day	Composting by OWC- manure produced will be used at site for landscaping	2	Non-biodegradable Waste	229 kg/day	Will be managed through recyclers.																																	
Sr. No.	Type of Waste	Quantity	Management																																												
1	Biodegradable Waste	153 kg/day	Composting by OWC- manure produced will be used at site for landscaping																																												
2	Non-biodegradable Waste	229 kg/day	Will be managed through recyclers.																																												

		3	E-Waste	2543 kg/Year	Will be collected and sent to MPCB authorized recyclers.
		4	STP Sludge	67 kg/day	Dry sludge shall be used as manure.
32.	R.G. Area in Sq. m.	RG area is not applicable to this plot as circular issued by MIDC vide letter no. MIDC/ CP/ E30146/ 2016 dated 27/ 12/ 2016 as the plot area is below 4.0 Ha. There exist sectorial RG Plot Area 5385 Sq. m Net plot area 5385 Sq. m R.G. Area Required 0 Sq. m 1 tree per 80 sq mts. of plot area = $5385 \times 1/80$ 67 no. Trees on site: 62 Nos. Trees proposed to be cut: 2 Nos. Trees proposed to be transplant: 47 Nos. Trees to be retain: 13 Nos. No of Trees to be planted against cutting- as per tree inventory -- Total no. of trees on site after completion $67+47+13=127$ (On Ground)			
33.	Power requirement	Operation phase: Source: MSEDCL Connected Load: 3997.8 KW Demand Load: 2811.66 KW			
34.	Energy Efficiency	Total Savings – 16 % Solar Savings- 5 %			
35.	DG Sets Capacities	1 No. of DG set having capacity 750 KVA each			
36.	Parking 4W & 2W	2-wheeler- 18 nos. 4-wheeler- 328 nos.			
37.	Rain water harvesting scheme	48 Cu.m.			
38.	Project Cost (Cr.)	Rs. 200 Crores			
39.	EMP Cost (Including DMP cost)	Capital Cost: Rs. 331.45 lakhs O & M Cost: Rs. 36.05 lakhs/Yr.			
40.	CER Details with justification if any....as per MoEF&CC circular dated 01/05/2018	OM dated 30.9.2020 U/n F.No- 22-65/2017.IA.III supersedes earlier OM under even number dated 1st May, 2018 regarding guidelines in respect to CER			
41.	Details of Court Cases/litigations w.r.t the project and project location, if any.	NA			

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its 260th meeting (Day-2) and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1.PP to submit IOD/IOA/Concession Document/Plan Approval or any other form of documents as applicable clarifying its conformity with local planning rules and provisions as per the Circular dated 30.01.2014 issued by the Environment Department, Govt. of Maharashtra.
- 2.PP to obtain following NOCs & remarks:
 - a) Water supply; b) Sewer connection; c) SWD NOC; d) CFO NOC; e) Tree NOC; d) SWM/C&D NOC.
- 3.PP to submit undertaking regarding no change in project details uploaded on PARIVESH Portal and presented before SEAC-II.
- 4.PP to use advanced technologies for dust suppression in addition to sprinkling of water in construction phase & include the cost of same in construction phase EMP & accordingly revise EMP.
- 5.PP to submit undertaking for declaring the project site as plastic free zone.
- 6.PP to submit cross section of roads at four places showing clear road width, side margins provided from building line/compound wall etc. for services like drainage lines, plantation, parking etc.
- 7.PP to submit revised energy calculations by considering only non-shaded area of terrace; PP to submit revised calculation to ensure minimum 5% energy saving from renewable sources and 20% overall energy saving in the project.
- 8.PP to provide 1.5 Mtr. parapet wall to open to sky area of STP & submit revised STP plan/section showing 40% open to sky area.
- 9.PP to submit revised architect certificate mentioning area approved vide MIDC letter dtd:17/01/2023.
- 10.P to provide double slab over the UGTs & STP as the part of UGTs & STP is under driveway

B. SEIAA Conditions-

1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
4. SEIAA after deliberation decided to grant EC for – FSI area of 16071.11 m², Non FSI area of 6624.89 m² and total BUA of 22696.00 m². (Plan approval No. MIDC/DE&PA-III/IFMS/A21855/2023 , Dated 17.01.2023)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for

elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.

XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
- IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely

circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in

XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.

XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO₂, NO_x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC & SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed

against him, if any or action initiated under EP Act.

5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Pravin Darade

(Member Secretary, SEIAA)

Copy to:

1. Chairman, SEIAA, Mumbai.
2. Secretary, MoEF & CC, IA- Division MOEF & CC
3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
4. Regional Office MoEF & CC, Nagpur
5. District Collector, Thane
6. Chief Executive Officer, MIDC
7. Regional Officer, Maharashtra Pollution Control Board, Thane

